

SLV TRACK SYSTEMS

1-phase track systems
for more lighting options



SLV

ANYONE WANTING TO UNLEASH FULL LIGHTING POTENTIAL NEEDS TO STAY ON THE RIGHT TRACK.

Be it in smaller shops, offices, restaurants or in the home, SLV 1-phase track systems are ideal for achieving numerous lighting effects. With a large selection of lights and modular expansions, they can be adapted to suit a wide variety of uses and complicated room situations.





A NEW DIMENSION OF FLEXIBILITY.

SLV 1-phase track systems offer greater lighting freedom. The system can be independently constructed and expanded at any time thanks to the flexible use of spotlights and pendant lights. Lighting doesn't get more flexible than this.



Easily expandable.

Since the tracks transport electricity to the spotlights, the lighting can be planned regardless of outlet point. The quantity, position and type of lights can be chosen as desired for various lighting effects. What's more, by simply adding cut-to-length track elements and connectors, you can adapt the lighting to accommodate various geometries and room layouts.

Numerous options.

Placing multiple spotlights close together in a small room allows a wide variety of lighting effects. Be it ceiling-mounted lights, recessed ceiling lights, wall-mounted lights or pendants, SLV 1-phase track systems form the flexible foundation for top-quality and effective basic or accent lighting.

**Highlights at a glance:**

- Large selection of spotlights
- Lights can be replaced, converted and aligned
- Relatively independent from power outlet points
- Scalability thanks to many track elements
- Attractive price-performance ratio

DIVERSITY FOR THE HOME.

1-phase track systems are ideal for every living room. A large selection of decorative spotlights and pendant lights with different fittings allow the use of LED bulbs with various outputs and lighting qualities. Spots with fixed LEDs are also available. Small or large residential projects? The choice is yours.

For unique individual lighting effects
in challenging room layouts



For elegant illumination
of lounge areas




For safe and flexible illumination
of work surfaces



To create the desired
lighting atmosphere






SYSTEMATIC CONFIGURATION.

The TRACK configurator takes you to the preferred purchase list.



Our online TRACK configurator tool is designed to make it easier and quicker for you to put together the right track system for your project.

Configure your personal track system step by step: from the track and geometrical lighting shape to compatible accessories. Useful tips and additional information will help you find the right product. You will receive a preferred purchase list, which you can easily modify if necessary or if your requirements change.



A simple three-step process:

- 1 Basic system choice
- 2 Product selection
- 3 Receive list of recommendations




Scan here and discover for yourself how easy it is to put together the right track system.



EXPERIENCE LIGHT
THAT SATISFIES
ACROSS THE BOARD.

1-phase surface-mounted tracks



Focusing on design.

The flat 1-phase tracks are the optimum choice for decorative lighting in homes, smaller shops and offices. Thanks to the drilled holes in their cross-section, these flat aluminum tracks can be attached to your wall or ceiling quickly and easily.

Nominal voltage (V)	Max. current (A)	Color	Material	Length (cm)	Prod. no.
220–240V ~50/60Hz	16	● black	aluminum	100	143010
220–240V ~50/60Hz	16	○ white	aluminum	100	143011
220–240V ~50/60Hz	16	● gray	aluminum	100	143012
220–240V ~50/60Hz	16	● black	aluminum	200	143020
220–240V ~50/60Hz	16	○ white	aluminum	200	143021
220–240V ~50/60Hz	16	● gray	aluminum	200	143022
220–240V ~50/60Hz	16	● black	aluminum	300	1002151
220–240V ~50/60Hz	16	○ white	aluminum	300	1002152
220–240V ~50/60Hz	16	● gray	aluminum	300	1002153

Material: aluminum, width: 3.5 cm, height: 1.8 cm, cover not included



1-phase surface-mounted tracks




Fast and simple assembly.






















1-phase surface-mounted tracks

Planning tools and accessories at a glance.


View of components from above
on the installation side



	Feed-in, earth left 16 A max. polycarbonate (PC) L: 6.5 cm W: 3.5 cm H: 1.8 cm ■ black Prod. no. 143030 □ white Prod. no. 143031 ■ gray Prod. no. 143032		Stabilizing longitudinal connector steel L: 19.7 cm W: 3.2 cm H: 1.3 cm For reinforcement when mounting several tracks with ceiling suspension (1002845) ■ nickel Prod. no. 143151
	Feed-in, earth right 16 A max. polycarbonate (PC) L: 10.4 cm W: 3.5 cm H: 1.8 cm ■ black Prod. no. 143040 □ white Prod. no. 143041 ■ gray Prod. no. 143042		Stabilizing corner connector steel L: 11.5 cm W: 11.5 cm H: 0.5 cm For reinforcement when mounting several tracks with ceiling suspension (1002845) ■ nickel Prod. no. 143152
	Longitudinal connector* 16 A max. polycarbonate (PC) L: 17.2 cm W: 3.5 cm H: 1.8 cm ■ black Prod. no. 143100 □ white Prod. no. 143101 ■ gray Prod. no. 143102		Stabilising X-connector Steel L: 19.7 cm W: 19.7 cm H: 0.5 cm For reinforcement when mounting several tracks with ceiling suspension (1002845). ■ gray Prod. no. 143169
	Longitudinal connector 16 A max. polycarbonate (PC) L: 6.4 cm W: 3.5 cm H: 1.8 cm ■ black Prod. no. 143090 □ white Prod. no. 143091 ■ gray Prod. no. 143092		1-phase light adapter 6 A max. polycarbonate (PC) L: 8.2 cm W: 3.5 cm H: 4.2 cm ■ black Prod. no. 143120 □ white Prod. no. 143121 ■ gray Prod. no. 143124
	Corner connector, earth inside 16 A max. polycarbonate (PC) L: 10.4 cm W: 10.4 cm H: 1.8 cm ■ black Prod. no. 143060 □ white Prod. no. 143061 ■ gray Prod. no. 143062		1-phase light adapter with hooks 6 A max. polycarbonate (PC) L: 8.2 cm W: 3.5 cm H: 7.4 cm ■ black Prod. no. 143170 □ white Prod. no. 143171 ■ gray Prod. no. 143172
	Corner connector, earth outside 16 A max. polycarbonate (PC) L: 10.4 cm W: 10.4 cm H: 1.8 cm ■ black Prod. no. 143050 □ white Prod. no. 143051 ■ gray Prod. no. 143052		Cover polycarbonate (PC) L: 200 cm W: 1.8 cm H: 0.75 cm ■ black Prod. no. 1004783 □ white Prod. no. 1004785 ■ gray Prod. no. 1004784
	T-connector, earth external, left 16 A max. polycarbonate (PC) L: 17.2 cm W: 10.4 cm H: 1.8 cm ■ black Prod. no. 143070 □ white Prod. no. 143071 ■ gray Prod. no. 143072		End cap polycarbonate (PC) L: 0.4 cm W: 3.5 cm H: 1.8 cm ■ black Prod. no. 143130 □ white Prod. no. 143131 ■ gray Prod. no. 143132
	T-connector, earth external, right 16 A max. polycarbonate (PC) L: 17.2 cm W: 10.4 cm H: 1.8 cm ■ black Prod. no. 143080 □ white Prod. no. 143081 ■ gray Prod. no. 143082		Ceiling rose 6 A max. polycarbonate (PC) H: 2.5 cm Diameter: 12.1 cm ■ black Prod. no. 143380 □ white Prod. no. 143381 ■ gray Prod. no. 143382
	X-connector 16 A max. polycarbonate (PC) L: 9.5 cm W: 17.2 cm H: 1.8 cm ■ black Prod. no. 143160 □ white Prod. no. 143161 ■ gray Prod. no. 143162		Wire rope suspension, 2-piece stainless steel/brass L: 500 cm max. 10 kg ■ nickel Prod. no. 1002845
	Flex connector 16 A max. polycarbonate (PC) L: 16.4 cm W: 3.5 cm H: 1.8 cm ■ black Prod. no. 143110 □ white Prod. no. 143111 ■ gray Prod. no. 143112		

* with feed-in capacity

1-phase recessed tracks



Elegantly integrated.

1-phase recessed track systems can be elegantly integrated into the interior design. This high-quality technical approach also has a sophisticated appearance.

Nominal voltage (V)	Max. current (A)	Color	Material	Length (cm)	Prod. no.
220–240V ~50/60Hz	16	○ white	aluminum	200	143221

Material: aluminum, width: 3.5 cm, height: 1.8 cm, cover not included



**1-phase
recessed tracks**
Prod. no.: 143221

An elegant solution for
a high-quality finish.



1-phase recessed tracks

Accessories at a glance.



Feed-in, earth left

16 A max. | plastic
L: 10.8 cm W: 5.5 cm H: 2 cm

☐ white

Prod. no. **143231**



End cap

plastic
L: 2.7 cm W: 5.5 cm H: 1.8 cm

☐ white

Prod. no. **143281**



Feed-in, earth right

16 A max. | plastic
L: 10.8 cm W: 5.5 cm H: 2 cm

☐ white

Prod. no. **143241**



Retainer

steel
L: 7.5 cm W: 1.5 cm H: 4 cm

☐ nickel

Prod. no. **143230**



Longitudinal connector

16 A max. | plastic / steel
L: 6.5 cm W: 1.8 cm H: 1.7 cm

☐ white

Prod. no. **143271**



1-phase adapter with hooks

6 A max. | polycarbonate (PC)
L: 8.2 cm W: 3.5 cm H: 7.4 cm

☒ black

Prod. no. **143170**

☐ white

Prod. no. **143171**

☐ gray

Prod. no. **143172**



Corner connector, earth inside

16 A max. | plastic
L: 11.2 cm W: 11.2 cm H: 2 cm

☐ white

Prod. no. **143261**



1-phase light adapter

6 A max. | polycarbonate (PC)
L: 8.2 cm W: 3.5 cm H: 4.2 cm

☒ black

Prod. no. **143120**

☐ white

Prod. no. **143121**

☐ gray

Prod. no. **143124**



Corner connector, earth outside

16 A max. | plastic
L: 11.2 cm W: 11.2 cm H: 2 cm

☐ white

Prod. no. **143251**


PURI TRACK



Perfect purism.

Thanks to its simple design, the rotatable and pivoting high-voltage post can be used anywhere. Specific lighting accents can be created using the aluminum lights, and what's more, PURI is suitable for flexibly replaceable LED lights.

Basic spotlights in a timeless design with a GU10 fitting



SOCKET INSIDE

PURI TRACK

Socket type	GU10
Bulb type	QPAR51
L / diameter / H (cm)	8.3 / 5.4 / 7.4


Decorative ring for QPAR51 included

Further information about SLV TRACK system products can be found at slv.com



PURI TRACK
1-phase, QPAR51
Prod. no.: 143390

Ideal for decorative basic
and accent lighting.



PURI TRACK
1-phase, QPAR51
Prod. no.: 143390


BIMA



An industrial look.

The 350° rotatable and 200° pivotable BIMA spotlight can be used in all room dimensions. It has an impressive aluminum-brushed industrial finish that's as robust as it looks. Standard QPAR51 lamps can be used in the GU10 fitting.

Rotatable and pivotable
via two joints



SOCKET INSIDE

	BIMA
Socket type	GU10
Bulb type	QPAR51
L / diameter / H (cm)	8 / 6 / 14



BIMA
1-phase, single, QPAR51
Prod. no.: 143440

Harmoniously integrates
into the right environment.



BIMA
1-phase, single, QPAR51
Prod. no.: 143440


HELIA 50 TRACK



All-round elegance.

Slim, elegant and suitable for modern lighting projects thanks to its high performance: the rotatable and pivotable spotlight is perfect for every track system. Made from aluminum and fitted with a premium LED module. Operates at 3000 Kelvin, 750 lumens and a CRI value greater than 90 for a decade.

Slim and elegant design




HELIA 50 TRACK

Total wattage (W)	11
Luminous flux (lm)	810/880
Color temperature (K)	3,000
CRI	90
L / diameter / H (cm)	14 / 5.5 / 10



HELIA 50 TRACK
1-phase
Prod. no.: 143580



HELIA 50 TRACK
1-phase
Prod. no.: 143581



HELIA 50 TRACK
1-phase
Prod. no.: 143580

Perfect for flexible illumination
of spaces of all sizes.


NOBLO SPOT



Round noblesse.

The rotatable and pivotable LED spotlight boasts an impressive sleek design that makes it ideal for modern lighting concepts. The integrated premium LED module accentuates objects with its strong lighting properties.

Simple design and
integrated LED




NOBLO SPOT

Total wattage (W)	7.5
Luminous flux (lm)	620
Color temperature (K)	2,700
CRI	80 / 90
L / diameter / H (cm)	10.5 / 5 / 10.7



NOBLO SPOT
1-phase
Prod. no.: 1001863

Elegant design for
modern lighting concepts.



NOBLO SPOT
1-phase
Prod. no.: 1001862


PURIA TRACK



Conical design.

The 340° rotatable and 85° pivotable spotlight gives you full creativity when it comes to lighting effects. Made from aluminum and satin glass, the versatile spotlight brightens every room. The integrated GU10 fitting is suitable for all standard QPAR51 lamps.


Rotatable and
pivotable



SOCKET INSIDE


PURIA TRACK

Socket type	GU10
Bulb type	QPAR51
L / diameter / H (cm)	12.5 / 6.4 / 10.9



PURIA TRACK
1-phase, QPAR51
Prod. no.: 143451

Ideal for illuminating
specific areas and
objects.



PURIA TRACK
1-phase, QPAR51
Prod. no.: 143450


AVO TRACK



Attrative accenting.

The 350° rotatable and 90° pivotable AVO spotlight enables the creation of specific lighting accents. It provides individual and high-quality light that can be adjusted using the integrated GU10 fitting.

Rotating and
pivoting



SOCKET INSIDE

AVO TRACK

Socket type	GU10
Bulb type	QPAR51
L / diameter / H (cm)	13 / 6.2 / 8



AVO TRACK
1-phase, QPAR51
Prod. no.: 144201

Enhances the appearance
of attractive spaces.



AVO TRACK
1-phase, QPAR51
Prod. no.: 144200


EURO SPOT TRACK



Proven success.

The EURO SPOT always looks stylish on track systems. A GU10 fitting is integrated into the cylindrical lamp head and accommodates all standard QPAR51 lamps. Since the aluminum spotlights can be flexibly positioned, rotated by 350° and pivoted 90°, interior lighting can be designed exactly as desired.

Flexible positioning
thanks to a joint



SOCKET INSIDE

EURO SPOT TRACK

Socket type	GU10
Bulb type	QPAR51
L / diameter / H (cm)	12.5 / 8 / 15.2



EURO SPOT TRACK
1-phase, QPAR51
Prod. no.: 1001861

When light whets the appetite.

NOBLO SPOT SET



The perfect start.

Get everything that you need for a perfect start with this 1-phase high-voltage track system set: two track sections, one long connector with feed-in capability and 3 NOBLO spotlights including powerful LEDs.



NOBLO SPOT SET

Total wattage (W)	24
Luminous flux (lm)	1860
Color temperature (K)	2700
CRI	80
2 x 1m high-voltage tracks, 1 x feeder/longitudinal connector, 1 x 2 end caps, 3 x NOBLO light heads	



NOBLO SPOT
1-phase, Triple Track Set
Prod. no.: 1002611



NOBLO SPOT
1-phase, Triple Track Set
Prod. no.: 1002610

Everything you need to optimally
illuminate smaller spaces.

PURI TRACK SET



Optimally equipped.

Get everything that you need for a perfect start with this single-circuit high-voltage track system set: two track sections, one long connector with feed-in capability and 3 PURI spotlights including powerful LED lamps.

SOCKET INSIDE

PURI TRACK SET

Socket type	GU10
-------------	------

2 x 1m high-voltage tracks, 1 x longitudinal connector,
1 x 2 end caps, 3x PURI lamp heads, 3x LED GU10 lamps,
3 x decorative rings for GU10



PURI TRACK
1-phase, Triple Track Set
Prod. no.: 143191

The ideal choice for small shops too.

ENOLA B TRACK



Versatile understatement.

Made from high-quality aluminum, the ENOLA B lamps are available as pendant lamps and spotlights for track systems. The GU10 fitting allows energy-saving lighting to be used. The spotlights can be rotated and pivoted to achieve the desired lighting effect.

Elegant and cylindrical housing design




SOCKET INSIDE

	ENOLA B PD	ENOLA B SPOT
Socket type	GU10	GU10
Bulb type	QPAR51	QPAR51
L / diameter / H (cm)	- / 6.7 / 30	11.3 / 6.7 / 12
Pendant length	150	-



ENOLA B PD
1-phase, QPAR51
Prod. no.: 143964



ENOLA B PD
1-phase, QPAR51
Prod. no.: 143960



ENOLA B SPOT
1-phase, QPAR51
Prod. no.: 1002110

Maximum diversity for a wide
variety of projects.


PARA CONE 14



A touch warmer.

The PARA CONE lamps in copper, black and white have a colored reflector for extra-warm lighting. The spotlight can be rotated and pivoted to suit all room dimensions. With their integrated GU10 fitting, the spotlights and pendant lights are suitable for replaceable LED lamps.

Colored reflector for
a warm lighting effect



SOCKET INSIDE

	PARA CONE 14 PD	PARA CONE 14 SPOT
Socket type	GU10	GU10
Bulb type	QPAR51	QPAR51
Diameter / H (cm)	13.5 / 14	13.5 / 20
Pendant length (cm)	150	—



PARA CONE 14 SPOT
1-phase, QPAR51
Prod. no.: 1002873

Creates warmth in private
and commercial areas.




PARA CONE 14 PD
1-phase, QPAR51
Prod. no.: 1001968

PARA CONE GL



Glass design.

When conically shaped glass creates an atmospheric lighting ambience, it can only be the new PARA CONE GL. The glass lampshade attracts attention to the changeable LED light with a GU10 fitting. The 300° rotatable and 90° pivotable spotlight can be used in all room dimensions.



**SOCKET
INSIDE**

	PARA CONE GL PD	PARA CONE GL SPOT
Socket type	GU10	GU10
Diameter / H (cm)	13.5 / 15	13.5 / 19.5
Pendant length (cm)	250	—



PARA CONE GL PD
1-phase, GU10
Prod. no.: 1006160

A clear attention-grabber
for various opportunities.



PARA CONE GL SPOT
1-phase, GU10
Prod. no.: 1006155


PANEL TRACK



Flat and good.

In addition to their high color rendering index, flat PANEL TRACK lights now also stand out due to their ability to rotate and swivel. The round or square aluminum frame is fitted with an acrylic glass cover that ensures homogenous and glare-free illumination.

Acrylic glass cover for
homogenous illumination



	PANEL TRACK square	PANEL TRACK round
Total wattage (W)	18	18
Luminous flux (lm)	1800	1800
Color temperature (K)	3000	3000
CRI	90	90
L / W / H (cm)	30 / 15 / 9.3	–
L / diameter / H (cm)	–	23.1 / 20 / 9.5

Further information about SLV TRACK system products
can be found at slv.com



PANEL TRACK
1-phase, round
Prod. no.: 1004935

Accentuates colors with
a great deal of functionality.



PANEL TRACK
1-phase, square
Prod. no.: 1004933

LIGHT EYE®




Totally robust.

The popular lighting classic made from shiny steel: LIGHT EYE® shines with ultimate diversity. The spotlights and pendant lights, which can be rotated and swiveled, come in different color combinations of white, black and chrome. The spotlight is also available in matte copper.

SOCKET INSIDE


	LIGHT EYE® 150 PD	LIGHT EYE® 90 SPOT
Socket type	GU10	GU10
Bulb type	QPAR111	QPAR51
L / diameter / H (cm)	- / 15 / 12	12.2 / 8.9 / 10
Pendant length (cm)	250	-





LIGHT EYE® 150 PD
1-phase, QPAR111
Prod. no.: 1000713

Round design for
diverse lighting projects.



LIGHT EYE® 150 + 90
1-phase, QPAR51
Prod. no.: 143620 + 144010


FORCHINI M 40 TRACK



A hanging highlight.

The smaller lamp shade made from aluminum and steel is also a real eye-catcher, to provide the right lighting in gold, gray or white. Its textured interior provides a captivating lighting atmosphere that couldn't be cozier.

Aluminum and
steel lampshade



SOCKET INSIDE

FORCHINI M 40 TRACK






Socket type	E27
Diameter / H (cm)	40 / 20
Pendant length (cm)	150








FORCHINI M 40 TRACK
1-phase, E27
Prod. no.: 143932






Creates a cozy
lighting atmosphere.

SLV TRACK systems

1-phase	Mounting track 1 m	Mounting track 2 m	Mounting track 3 m	Recessed track 2 m
				
Prod. no.	● 143010 ○ 143011 ● 143012	● 143020 ○ 143021 ● 143022	● 1002151 ○ 1002152 ● 1002153	○ 143221
Page	12	12	12	16

1-phase	PURI TRACK	BIMA	HELIA 50 TRACK	NOBLO SPOT
				
Prod. no.	● 143390 ○ 143391 ● 143392	● 143440 ○ 143441 ● 143442	● 143580 ○ 143581	● 1001862 ○ 1001863 ● 1001864
Page	20	22	24	26

1-phase	PURIA TRACK	AVO TRACK	EURO SPOT	NOBLO SPOT SET
				
Prod. no.	● 143450 ○ 143451 ● 143454	● 144200 ○ 144201 ● 144204	● 1001861 ○ 143811	● 1002610 ○ 1002611 ● 1002612
Page	28	30	32	34

1-phase	PURI TRACK SET	ENOLA B TRACK PD	ENOLA B TRACK SPOT	PARA CONE 14 PD
				
Prod. no.	● 143190 ○ 143191 ● 143194	● 143960 ○ 143961 ● 143964	● 1002110 ○ 1002111 ● 1002113	● 143990 ○ 143991 ● 1001968
Page	36	38	38	40

Further information about SLV TRACK system products
can be found at slv.com

1-phase	PARA CONE 14 SPOT	PARA CONE GL PD	PARA CONE GL SPOT	PANEL TRACK
				
Prod. no.	● 1002873 ○ 1002874 ● 1002875	● 1006159 ○ 1006160	● 1006155 ○ 1006156	● 1004933 ○ 1004934
Page	40	42	42	44

1-phase	PANEL TRACK	LIGHT EYE® 150 PD	LIGHT EYE® 90 SPOT	FORCHINI M 40 TRACK
				
Prod. no.	● 1004935 ○ 1004936	● 1000713 ○ 143621 ● 143620	● 144010 ○ 144011 ● 144019	● 143930 ● 143932
Page	44	46	46	48

Further information about SLV TRACK system products can be found at [slv.com](https://www.slv.com)

Image credits

© SLV GmbH, 2022
© Chlorophylle | Adobe Stock

Lighting has to illuminate what's important and do so under a variety of conditions. That's why we are pleased to offer you, a planner or installer of SLV track systems, a solution that can be adapted to suit various requirements and room situations. We wish you plenty of success in bringing your ideas to life.



SLV slv.com

Available at your specialist retailer:



* Subject to correction and amendment. Orders only possible for commercial customers.

1006339